



**TERMA**  
SINCE 1990

# Perta

CHROME // 1200 — 500 // SCV double 50 mm cutoff valve + “Noble” thermostatic head

LUX






Water version



Standard connections:




Sizes available:



Electric version



Sizes available:



A	B	C	C'		75/65/20	55/45/20		D	E	F		
[mm]	[mm]	[mm]	[mm]		[W]	[W]	[W]	[mm]	[mm]	[mm]	[dm³]	[Kg]
Water version												
960	500	50	-	RAL+TT	337	172	400	200	360	180	3,2	11,8
960	500	50	-	Chrom	236	120	200	200	360	180	3,2	11,8
960	600	50	-	RAL+TT	371	189	400	230	360	180	3,5	12,5
960	600	50	-	Chrom	261	133	300	230	360	180	3,5	12,5
1360	500	50	-	RAL+TT	467	238	400	160	600	340	4,4	14,8
1360	500	50	-	Chrom	328	167	300	160	600	340	4,4	14,8
1360	600	50	-	RAL+TT	528	269	600	220	600	340	4,7	16
1360	600	50	-	Chrom	373	190	400	220	600	340	4,7	16
1770	500	50	-	RAL+TT	630	321	600	200	600	540	6	18
1770	500	50	-	Chrom	419	214	400	200	600	540	6	18
1770	600	50	-	RAL+TT	704	359	800	290	600	540	6,4	19,7
1770	600	50	-	Chrom	488	249	600	290	600	540	6,4	19,7

Radiator on offer with thermostatic head, valve block as well as thermostatic liner and two cut-off valves.

Im Heizkörperset inbegriffen: Thermostatkopf, Thermostatblock und zwei Absperrventile


Radiateur vendu ensemble avec tête thermostatique, bloc vanes, cartouche thermostatique et deux vanes d'arrêt.

Радиатор продается в комплекте с термостатической головкой, блоком вентилей с термостатическим картриджем, а также двумя отсекающими вентилями.

Electric version

1360	500	50	-	RAL+TT	-	-	400	160	600	340	4,4	14,8
1360	500	50	-	Chrom	-	-	300	160	600	340	4,4	14,8
1360	600	50	-	RAL+TT	-	-	600	220	600	340	4,7	16
1360	600	50	-	Chrom	-	-	400	220	600	340	4,7	16
1770	600	50	-	RAL+TT	-	-	800	290	600	540	6	18
1770	600	50	-	Chrom	-	-	600	290	600	540	6	18
1770	500	50	-	RAL+TT	-	-	600	200	600	540	6,4	19,7
1770	500	50	-	Chrom	-	-	400	200	600	540	6,4	19,7

Water version



Electric version

