




TERMA
SINCE 1990


Nemo

SILVER MATT // 500 — 915 // Angled thermostatic valve + “Slim” thermostatic head // Cutoff valve

MODERN








Standard connections:



Available on demand:




Sizes available:




A	B	C	C'	C''		75/65/20	55/45/20		D	E	F		
[mm]	[mm]	[mm]	[mm]	[mm]		[W]	[W]	[W]	[mm]	[mm]	[mm]	[dm²]	[Kg]
300	645	50	260	645	RAL+TT	330	169	-	495	270	15	2,4	8,4
300	915	50	260	915	RAL+TT	471	240	-	765	270	15	3,5	12,0
300	1185	50	260	1185	RAL+TT	612	312	-	1035	270	15	4,5	15,6
300	1455	50	260	1455	RAL+TT	752	384	-	1305	270	15	5,5	19,1
300	1725	50	260	1725	RAL+TT	893	456	-	1575	270	15	6,5	22,7
530	375	50	490	375	RAL+TT	294	150	-	225	500	15	2,1	8,0
530	645	50	490	645	RAL+TT	512	261	-	495	500	15	3,6	14,0
530	915	50	490	915	RAL+TT	731	373	-	765	500	15	5,2	20,0
530	1185	50	490	1185	RAL+TT	949	484	-	1035	500	15	6,7	25,9
530	1455	50	490	1455	RAL+TT	1168	596	-	1305	500	15	8,3	31,9
530	1725	50	490	1725	RAL+TT	1387	708	-	1575	500	15	9,8	37,9


P2




L6



P3



YL



YP

