




TERMA
SINCE 1990

Aero Vertical

RAL 3020 // 1500 — 390 // 50 mm connection valve + “Slim” thermostatic head


MODERN



DESIGN: Jacek Ryń / Dariusz Berus




Horizontal




Standard connections:



Sizes available:




Vertical







Standard connections:




Sizes available:




A [mm]	B [mm]	C [mm]	C' [mm]		75/65/20 [W]	55/45/20 [W]		D [mm]	E [mm]	F [mm]	 [dm³]	 [Kg]
Horizontal												
325	900	50	-	RAL+TT	356	182	-	830	170	77,5	3,3	8,7
325	1200	50	-	RAL+TT	475	243	-	1130	170	77,5	4,6	11,6
410	1200	50	-	RAL+TT	597	304	-	1130	255	77,5	5,7	14,5
325	1500	50	-	RAL+TT	594	303	-	1430	170	77,5	5,9	14,4
410	1500	50	-	RAL+TT	746	381	-	1430	255	77,5	7,4	18,0
325	1800	50	-	RAL+TT	713	364	-	1730	170	77,5	7,2	17,2
410	1800	50	-	RAL+TT	895	457	-	1730	255	77,5	9,0	21,6
Vertical												
900	325	50	-	RAL+TT	295	151	-	225	800	50	3,3	8,7
1200	325	50	-	RAL+TT	395	202	-	225	1100	50	4,6	11,6
1200	410	50	-	RAL+TT	495	253	-	310	1100	50	5,7	14,5
1500	325	50	-	RAL+TT	496	253	-	225	1400	50	5,9	14,4
1500	410	50	-	RAL+TT	622	317	-	310	1400	50	7,4	18,0
1800	325	50	-	RAL+TT	599	306	-	225	1700	50	7,2	17,2
1800	410	50	-	RAL+TT	750	383	-	310	1700	50	9,0	21,6

Horizontal

YL



YP



Vertical

ZX

